
## LET'S TALK ABOUT ABORTION: FREQUENTLY ASKED QUESTIONS

**Los Angeles County Department of Public Health, Office of Women's Health** 



What is abortion?








Is abortion safe?



In the United States, approximately 18% of pregnancies end in abortion.



Is abortion legal in California?



live inside or outside the state.



What are the different ways to have an abortion?



Medication abortion is a termination of pregnancy with pills called mifepristone and misoprostol. These pills are generally taken outside of the medical office and allow the abortion to occur gradually. Aspiration abortion is a termination of pregnancy when a health care provider removes the pregnancy from the uterus. This type of abortion occurs in a medical clinic.





What is the difference between emergency contraception and abortion pills (medication abortion)?

Emergency contraception is used after sexual intercourse to prevent a pregnancy from occurring. In contrast, medication abortion ends an existing pregnancy.





Does abortion increase risk of breast cancer, or other cancers?

No, research has found no association between abortion and any form of cancer.





Does abortion directly affect future fertility or future pregnancies?

No, there is **no evidence** that having an abortion reduces the ability to get pregnant (fertility), increases risk for miscarriage, or harms future pregnancies in any way. The American College of Obstetrics and Gynecologists reviewed evidence and **found no link between abortion and reduced fertility, or between abortion and issues with future pregnancies.** 



Has abortion been shown to harm mental health?

No, having a wanted abortion does not cause harm to mental health. People can experience feelings such as sadness or grief after an abortion, but most overwhelmingly feel relief. This is true for abortions that occur at any time during the pregnancy, both immediately after and years down the road. Some people may also experience feelings of guilt or judgment about abortion due to family, cultural, or religious expectations.



How do I get an abortion?

More information about abortion and a comprehensive list of abortion services in Los Angeles County and nationwide can be found at the OWH website:

http://publichealth.lacounty.gov/owh/A bortion/abortionSafeHaven.htm



## References

- Biggs MA, Neuhaus JM, Foster DG. Mental health diagnoses 3 years after receiving or being denied an abortion in the United States. Am J Public Health. 2015;105(12):2557-2563. doi:10.2105/AJPH.2015.302803
- 2. California Center for Reproductive Rights. Accessed November 18, 2022. https://reproductiverights.org/maps/state/california/
- 3. Food and Drug Administration (FDA). Research C for DE and Mifeprex (mifepristone) information. Published online February 7, 2022. Accessed November 18, 2022. https://www.fda.gov/drugs/postmarket-drug-safety-information-patients-and-providers/mifeprex-mifepristone-information
- 4. Kaiser Family Foundation. Emergency contraception. Published August 4, 2022. Accessed November 18, 2022. https://www.kff.org/womens-health-policy/fact-sheet/emergency-contraception/
- 5. Holmlund S, Kauko T, Matomäki J, Tuominen M, Mäkinen J, Rautava P. Induced abortion Impact on a subsequent pregnancy in first-time mothers: A registry-based study. BMC Pregnancy and Childbirth. 2016;16(1):325. doi:10.1186/s12884-016-1109-3
- 6. Horvath S, Schreiber CA. Unintended pregnancy, induced abortion, and mental health. Curr Psychiatry Rep. 2017;19(11):77. doi:10.1007/s11920-017-0832-4
- 7. Jones RK, Witwer E, Jerman J. Abortion incidence and service availability in the United States, 2017. Published online September 18, 2019. doi:10.1363/2019.30760
- 8. Kerns J, Cheeks M, Cassidy A, Pearlson G, Mengesha B. Abortion stigma and its relationship with grief, post-traumatic stress, and mental health-related quality of life after abortion for fetal anomalies. Women's Health Rep (New Rochelle). 2022;3(1):385-394. doi:10.1089/whr.2021.0027
- 9. Michie L, Cameron ST. Emergency contraception and impact on abortion rates. Best practice & research clinical obstetrics & gynaecology. 2020;63:111-119. doi:10.1016/j.bpobgyn.2019.06.008
- 10. Raymond EG, Grimes DA. The comparative safety of legal induced abortion and childbirth in the United States. Obstetrics & Gynecology. 2012;119(2 Part 1):215-219. doi:10.1097/AOG.0b013e31823fe923
- 11. Rocca CH, Samari G, Foster DG, Gould H, Kimport K. Emotions and decision rightness over five years following an abortion: An examination of decision difficulty and abortion stigma. Social Science & Medicine. 2020;248:112704. doi:10.1016/j.socscimed.2019.112704
- 12. State of California. California abortion access. Accessed November 18, 2022. https://abortion.ca.gov
- 13. Tong H, Wu Y, Yan Y, et al. No association between abortion and risk of breast cancer among nulliparous women. Medicine (Baltimore). 2020;99(19):e20251. doi:10.1097/MD.000000000020251
- 14. University of California San Francisco. Advancing New Standards in Reproductive Health (ANSRH). Turnaway Study. Mental Health Outcomes. Issue brief July 18. https://www.ansirh.org/sites/default/files/publications/files/mental\_health\_issue\_brief\_7-24-2018.pdf Accessed November 18, 2022.
- 15. University of California San Francisco. TEACH Abortion Training Curriculum.; 2022. Accessed November 18, 2022. https://pressbooks.pub/workbook/
- 16. University of California San Francisco. The Turnaway Study. Advancing New Standards in Reproductive Health (ANSIRH). Accessed November 18, 2022. https://www.ansirh.org/research/ongoing/turnawaystudy
- 17. Virk J, Zhang J, Olsen J. Medical abortion and the risk of subsequent adverse pregnancy outcomes. N Engl J Med. 2007;357(7):648-653. doi:10.1056/NEJMoa070445

Suggested Citation: Let's Talk About Abortion: Frequently Asked Questions.

Los Angeles County Department of Public Health, Office of Women's Health. December 2022

Thank you to the USC Institute for Inequalities in Global Health for their collaboration and academic contribution.

